New Jersey Division of HIV/AIDS Services Persons Living with HIV/AIDS as of June 30, 2003 Trenton Residents

1.	Current HI	V/A	IDS Category		lt/Ado ases	lescent *		Pediat Cases	ric *	:	С	Tota ases	al %	
	AIDS-Any O AIDS-CD4 O HIV Only)I)nly			118 332 444	13 37 50		7 0 5	4	8 0 2		125 332 449	14 37 50	
	Total			_	894	100		12	10		-	906	100	
2.	Current Age * Cas		%	3.		Eth.			3 %	Pedia Cases	8	Tota Cases	%	
	<5 5-12 13-19 20-29	# 10 6 49	# 1 1 5		White Black Hispa Other	, Not Hisp , Not Hisp nic /Unknown	anic	# 666 98 #	# 74 11 #	# 10 0 #	# 83 0 #	123 676 98	14 75 11	
	40-49 3	72 45 22 #	30 38 25 #		Total			894	100	12	100	906	100	
4.	Patient Gr	-				Males	8	dolescer	Femal	es %		Tota		90
	Men sex wi Injection MSM/IDU Heterosexu Risk not r	th drudal	g user (IDU)			147 174 28 60 140	27 32 5 11 26		11 11 10	0 0 .9 35 0 0 .4 33		29 2 15	17 93 28 74	17 33 3 20 28
	Total					549	100			1 100				100
						Males	%	diatric	Femal	es %		Tota		0/0
	Parent at	ris	k/has AIDS/HIV rted/other***			7 #	88			8 100 0 0)	1	L5 #	94

NOTE: Includes only those persons known to be infected with HIV.

Total

- Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification based on current age at the end of June 2003.
- ** 4 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

8 100

8 100

16

100

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of June 30, 2003 Trenton Residents

			Adult/Adol	escent*	Pedi	latric*			То	tal
. Disease Ca	ategory	Ca	ses (%)	Deaths (%)	Cases (%)	Deaths	(%)	Cases (웅)	Deaths (%)
PCP Other OI v KS Alone No Disease	e Listed		# (#) 289 (27) # (#) 560 (52)	# (#) 220 (77) # (#) 228 (41)	# (#) 19 (90) # (#) 0 (0)	9 (#) 47) #) .)	230 (308 (10 (560 (28)	7 (70)
Total			1087 (100)	640 (59)	21 (100)	11 (52)	1108 (1	00)	651 (59)
. Age *	Cases	જ	3. Race/	Eth.	Adult/Adl* Cases %	Pediatric Cases %		Total Cases	%	
Under 5	18	2	White	e, Not Hispanic	# #	#	#	198	18	
5-12	#	#	Black	, Not Hispanic	785 72	19	90	804	73	
13-19	6	1	Hispa	nic	# #	#	#	100	9	
20-29	130	12	Other	/Unknown	6 1	0	0	6	1	
30-39	437	39								
40-49	359	32	Total	-	1087 100	21 1	00	1108	100	
Over 49	155	14								
Unknown	#	#								
Total	1108	100								

4. Patie	nt Group
----------	----------

. Patient Group	Adult/Adolescent Transmission Modes **									
	Males	왕	Females	8	Total	%				
Men sex with men (MSM)	208	27	0	0	208	19				
Injection drug user (IDU)	326	42	151	48	477	44				
MSM/IDU	54	7	0	0	54	5				
Heterosexual contact	65	8	91	29	156	14				
Risk not reported/other***	119	15	73	23	192	18				
Total	772	100	315	100	1087	100				

	Males	Ped %	liatric Transmission Modes Females %	Total	%
Parent at risk/has AIDS/HIV	11	100	10 100	21	100
Risk not reported/other***	0	0	0 0	0	0
Total	11	100	10 100	21	100

[#] indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies. Classification at time of AIDS diagnosis.

^{** 0} patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

^{***} Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of June 30, 2003 Trenton Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
Before 1985	7	7	100%
1985	12	12	100%
1986	11	11	100%
1987	26	26	100%
1988	29	26	90%
1989	34	31	91%
1990	35	35	100%
1991	59	55	93%
1992	91	78	86%
1993	140	100	71%
1994	96	65	68%
1995	116	72	62%
1996	81	34	42%
1997	70	24	34%
1998	50	21	42%
1999	55	15	27%
2000	65	17	26%
2001	66	17	26%
2002	46	5	11%
2003	19	0	0%
Total	1108	651	59%

New Jersey Division of HIV/AIDS Services HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2003 Trenton Residents

1. Age *	Cases	%	2. Race/Ethnicity	Adult/A Cases	Adl* %	Pediat Cases	ric* %	Total Cases	%
Under 5	5	1	White, Not Hispanic	#	#	#	#	71	14
5-12	#	#	Black, Not Hispanic	#	#	#	#	388	75
13-19	14	3	Hispanic	51	10	0	0	51	10
20-29	132	26	Other/Unknown	7	1	0	0	7	1
30-39	187	36							
40-49	118	23	Total	511	100	6	100	517	100
Over 49	59	11							
Unknown	#	#							
Total	517	100							

Patient Group	Adult/Adolescent Transmission Modes **								
	Males	%	Females	%	Total	용			
Men sex with men (MSM)	 74	 25		0	 74	 14			
Injection drug user (IDU)	97	33	77	36	174	34			
MSM/IDU	11	4	0	0	11	2			
Heterosexual contact	35	12	70	33	105	21			
Risk not reported/other***	80	27	67	31	147	29			
Total	297	100	214	100	511	100			
		Pedia	atric Transmis	ssion Mc	odes				
	Males	%	Females	%	Total	%			
Parent at risk/has AIDS/HIV	#	#	#	#	 5	83			
Risk not reported/other***	#	#	0	0	#	#			
Total	#	#		#		100			

- * Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.
- # indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

3.

- ** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of June 30, 2003 Trenton Residents

				Adult/A	dolescent *	Pe	diatr	ic *	То	tal	
1.		IV/AIDS Ca		Cases		Cas	es	% 	Cases	% 	
	AIDS-Any (OI		527	33		21 0		548 560	34	
	HIV Only	-		511	. 32		6	22	517	32	
	Total			1598			 27	100	1625		
						Adult/	Adl*	Pediat	ric*	To	otal
2.	Age *	Cases	%	3. Race/Et		Cases		Cases	%	Cases	%
	Under 5	25	2		Not Hispanic			#	#	269	17
	5-12	#	#	Black,	Not Hispanic	1169	73	23	85	1192	73
	13-19	24	1	Hispani	.C	#	#	#	#	151	9
	20-29	303	19	Other/U	Jnknown	13	1	0	0	13	1
	30-39	640	39								
	40-49	432	27	Total		1598	100	27	100	1625	100
	Over 49	198	12								
	Unknown	#	#								
	Total	1625	100								
4.	Patient G	roup							on Modes *		
					Males	% 		emales %	To	tal %	
	Men sex w	,	,		282	26		0 0		282 18	

. Patient Group	Addit/Addiescent Italismission Modes										
	Males	%	Females	%	Total	%					
Men sex with men (MSM)	282	26	0	0	282	18					
Injection drug user (IDU)	423	40	228	43	651	41					
MSM/IDU	65	6	0	0	65	4					
Heterosexual contact	100	9	161	30	261	16					
Risk not reported/other***	199	19	140	26	339	21					
Total	1069	100	529	100	1598	100					
		Pedia	tric Transmis	ssion Mo	des						

	Pediatric Transmission Modes					
Males	S	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	14	93	12	100	26	96
Risk not reported/other***	#	#	0	0	#	#
Total	15	100	12	100	27	100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification at time of first HIV+/AIDS diagnosis.
- ** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of June 30, 2003 Trenton Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Cases	Number Known Dead	Case-Fatality Rate
Before 1985	9	8	89%
1985	12	12	100%
1986	20	19	95%
1987	36	33	92%
1988	38	32	84%
1989	56	47	84%
1990	75	63	84%
1991	92	61	66%
1992	205	123	60%
1993	172	84	49%
1994	158	76	48%
1995	151	51	34%
1996	121	35	29%
1997	93	18	19%
1998	85	23	27%
1999	84	17	20%
2000	82	8	10%
2001	61	5	8%
2002	61	#	#
2003	13	0	0%
Unknown	#	#	#
Total	1625	719	44%